

CLAIMS

Having thus described my invention, I claim:

1. An ostomy comfort pad comprising:

a front section and a back section having edges;

said front section is attached to said back section along said edges;

said front and back sections having a top section, a body section and a bottom section;

said top sections having at least one arm;

said at least one arm having a fastener;

said body sections having a predetermined length;

said body sections having a cut-out;

said front bottom section having a pocket;

said front and back sections having a cover; and

a filling located between said front and back sections.

2. The ostomy comfort pad of claim 1 wherein:

said top sections have two arms; and

said front top, body and bottom sections are the same size and shape as said back top, body and bottom sections.

3. The ostomy comfort pad of claim 2 wherein:

said fastener is a hook and loop type material; and

said hook and loop type material is located on said front section.

1 **4.** The ostomy comfort pad of claim 2 wherein:
2 said fastener is an adhesive tab; and
3 said adhesive tab is located on said front section.

1 **5.** The ostomy comfort pad of claim 2 wherein:
2 said arms have a predetermined length; and
3 said arm lengths is at least half the length of the body sections.

1 **6.** The ostomy comfort pad of claim 2 wherein:
2 said cut-out is sized and shaped for the acceptance of an ostomy appliance
3 collar.

1 **7.** The ostomy comfort pad of claim 2 wherein:
2 said pocket is sized and shaped for the acceptance of an ostomy appliance
3 clip.

1 **8.** The ostomy comfort pad of claim 1 wherein:
2 said cover is polypropylene.

1 **9.** The ostomy comfort pad of claim 1 wherein:
2 said filling is pinewood fluff.

1 **10.** The ostomy comfort pad of claim 1 wherein:
2 said body sections are sized slightly larger than an ostomy appliance; and

3 said bottom sections are sized slightly larger than an ostomy appliance.